

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	1	((MIKA) near2 (KUNNARI)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:07
S5	23	((KAJ) near2 (SAARINEN)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:07
S6	58	((JUHA) near2 (NURMI)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:09
S7	5236	"NOKIA CORPORATION"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:07
S11	1754397	"MAS" or ((multi\$1level or multi-level) near3 signal\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:10
S14	5416	((multi\$1level or multi-level) near3 signal\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:48
S15	1	S14 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:10

EAST Search History

S16	1	S14 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:10
S17	19	S14 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 06:40
S18	2	"20050220232"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:10
S19	23	encod\$4 near3 (data or bit\$1 or symbol\$2) same ((multi\$1level or multi-level) near4 signal\$4) same (bus\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:26
S20	77	encod\$4 near3 (data or bit\$1 or symbol\$2) AND ((multi\$1level or multi-level) near4 signal\$4) same (bus\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:36
S21	36	((((multi\$1level or multi-level) near4 signal\$4) same (bus\$2)) same ((clock or strobe) near3 signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:41
S22	156	((((multi\$1level or multi-level) near4 signal\$4) same (bus\$2)) and ((clock or strobe) near3 signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:42

EAST Search History

S23	5349	(375/286,288,260,264,287,299,326,353,250,242).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:41
S24	26142	((clock or strobe) near3 signal) same (clock near3 edge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 09:05
S25	112	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:42
S26	2620	S11 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:43
S27	25	S23 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:46
S28	598	(341/55,56,64).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:41
S29	986	(370/516,535577).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:47

EAST Search History

S30	156	(332/115).cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:47
S31	117	S11 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:48
S33	70	S11 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:48
S34	17	S11 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 07:48
S37	7	((data near3 boundary) same (start or end)) and ((multi-bit or multi\$1bit) near3 (frame or packet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:55
S38	2938	((data near3 boundary) same (start or end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 09:17
S39	7	((data near3 boundary) same (start or end)) and (((multi-bit or multi\$1bit) near3 (frame or packet)) or block of data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:57

EAST Search History

S40	141	S24 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 09:58
S47	52976	(differential or single-ended) NEAR signal\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:42
S48	97	S47 and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:42
S50	5861	S47 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:47
S57	68	S50 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:46
S58	10	S50 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:46
S59	7	S50 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:46

EAST Search History

S60	1	S50 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:46
S61	401	S47 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 14:16
S62	49	S61 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:52
S63	9	S61 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:48
S64	1	S61 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:47
S65	1	S61 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 12:47
S68	47	((("3-level" or "3" adj level) NEAR3 pulse near3 amplitude near3 modulats\$4) or (PAM-3) or (3-PAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 14:44

EAST Search History

S69	44	(PAM-3) or (3-PAM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 14:43
S70	18308	two-wire or two-link or tw-input	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 14:47
S71	14597	("3-level" or "3" adj level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 14:44
S73	13	(two-wire or two-link or tw-input) SAME ("3-level" or "3" adj level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 14:47
S74	2	((data near3 boundary) same (multi\$1level or multi-level) near3 bus\$3) same (two near3 (consecutive or successive or continuous) near3 bit near3 period\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:28
S75	1	((data near3 boundary) same (multi\$1level or multi-level) near3 bus\$3) WITH (two near3 (consecutive or successive or continuous) near3 bit near3 period\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:27
S76	1	((data near3 boundary) and (multi\$1level or multi-level) near3 bus\$3) WITH (two near3 (consecutive or successive or continuous) near3 bit near3 period\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:28

EAST Search History

S77	2	((data near3 boundary) and (multi\$1level or multi-level) near3 bus\$3) AND (two near3 (consecutive or successive or continuous) near3 bit near3 period\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:31
S78	819	(data near3 boundary) same receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:32
S79	5	((multi\$1level or multi-level) near3 bus\$3) AND (two near3 (consecutive or successive or continuous) near3 bit near3 period\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:31
S80	259	((multi\$1level or multi-level) near3 bus\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:31
S81	199	(two near3 (consecutive or successive or continuous) WITH (bit near3 period\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:33
S82	2	S78 and S80 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:32
S83	5	S80 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:33

EAST Search History

S84	2	S78 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:33
S85	1	S30 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:33
S86	8	S23 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:35
S87	0	S28 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:35
S88	3	S29 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/10 15:36
S89	1	S30 and S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 07:29
S90	2	"20050013348"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:42

EAST Search History

S91	2	"20050259772"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:49
S92	2	"20050220232"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:52
S93	7	"5798535"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:53
S94	2938	((data near3 boundary) same (start or end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:13
S95	177	(multi-bit or multi\$1bit) near3 frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:02
S96	4	S94 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 14:57
S10 0	121653	boundary same (start or end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:01

EAST Search History

S10 1	9588295	start or end	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:17
S10 2	133	S95 and S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:18
S10 3	55303	primary near3 color	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:18
S10 4	5	S102 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:18
S10 5	361330	(mobile or wireless or portable or handheld or cellular) near3 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:22
S10 6	1931	S101 and "I18"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:21
S10 7	26964	S101 and S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:21

EAST Search History

S10 8	1056	(multi-bit or multi\$1bit) near3 (frame or packet or block)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:46
S10 9	2014	S103 and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:22
S11 0	5	S108 and S109	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:47
S11 2	5	S110 and S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:23
S11 5	25269	(multi-bit or multi\$1bit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:47
S11 6	25	S109 and S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:48
S11 8	7	S100 and S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 15:49

EAST Search History

S11 9	59475	boundary WITH (start or end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:01
S12 0	12	S119 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:02
S12 4	2938	((data near3 boundary) same (start or end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:46
S12 5	463	((data near3 boundary) NEAR2 (start or end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:41
S12 6	25	S115 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/11 16:42